



New Products

APRIL 2024

EuroClone®

We are continually expanding our portfolio to meet your research needs. *Check out* the new products released this month!


HOT PRODUCTS

TREM2 (E7O7Q) Rabbit mAb #89956

A Membrane Protein Genetically Linked to Alzheimer's Disease

The triggering receptor expressed on myeloid cells 2 (TREM2) protein is an innate immune receptor that is expressed on the cell surface of microglia, macrophages, osteoclasts, and immature dendritic cells. The TREM2 receptor is a single-pass type I membrane glycoprotein that consists of an extracellular immunoglobulin-like domain, a transmembrane domain, and a cytoplasmic tail. TREM2 interacts with the tyrosine kinase-binding protein DAP12 to form a receptor-signaling complex. The TREM2 protein plays a role in innate immunity and a rare functional variant (R47H) of TREM2 is associated with the late-onset risk of Alzheimer's disease.

KEYWORDS: Alzheimer's Disease, Microglia, Macrophages



Flow: Flow cytometric analysis of live Neuro-2a cells (blue, negative) and J774A.1 cells (green, positive) using #89956 (solid lines) or concentration-matched Rabbit (DA1E) mAb IgG XP® Isotype Control #3900 (dashed lines). Anti-rabbit IgG (H+L, F(ab)', Fragment (Alexa Fluor® 488 Conjugate) #4412 was used as a secondary antibody.


Dectin-1/ Clec7a (E3P5W)

Rabbit mAb #30260

Key Lectin Receptor in Myeloid Cells and Alzheimer's Disease


Dectin-1, also known as Clec7a, is a C-type lectin receptor expressed by macrophages, monocytes, dendritic cells, neutrophils, and a subset of $\gamma\delta$ T cells. Dectin-1 is a glycoprotein with eight different isoforms, generated through alternative splicing. It plays an important role in anti-fungal immunity by acting as a pattern recognition receptor for β -glucans found on the cell wall of fungi and some bacter. Dectin-1 is composed of a short amino-terminal cytoplasmic domain containing an ITAM-like motif, a transmembrane domain, and an extracellular carboxy-terminal C-type lectin domain. Dectin-1 recognizes β -glucans through its C-type lectin domain and transduces signals through its ITAM-like motif by recruiting and activating Syk. Dendritic cells activated through Dectin-1 promote differentiation of Th17 cells by producing IL-6 and IL-23.

KEYWORDS: Myeloid cells, Neuroscience, β -glucans




IHC-P: IHC analysis of paraffin-embedded GL261 syngeneic tumor using #30260.






Caspase-8 (F5K9P) Rabbit mAb #8873






MTA2 (F2D5U) Rabbit mAb #95197



PADI4 (F1B9L) Rabbit mAb #76469

PRODUCT	APPLICATIONS	REACTIVITY
Adhesion/ECM		
53536SF Cadherin-17 (E5J8Z) Rabbit mAb (BSA and Azide Free)	WB, IHC-P	H
18880S COL4A1 (E5M6R) Rabbit mAb (IHC Formulated)	IHC-P	H
75601S EMCN (E2Z7L) Rabbit mAb (Alexa Fluor® 488 Conjugate)	FC-L	M
80880S EMCN (E2Z7L) Rabbit mAb (Alexa Fluor® 647 Conjugate)	FC-L	M
14452T EpCAM (D9S3P) Rabbit mAb (IHC Preferred)	WB, IHC-P, FC-FP	H, Mk
40994T MMP-2 (D4M2N) Rabbit mAb	WB, IP, IHC-P, IF-IC	H
30960SF Talin-1 (C45F1) Rabbit mAb (BSA and Azide Free)	WB, IHC-P	H, M, R, Hm, Mk
Apoptosis		
42264S Caspase-4 (F4T9L) Rabbit mAb	WB, IP	H
8873S Caspase-8 (F5K9P) Rabbit mAb	WB, IHC-P	H, M, R
36974SF Cytochrome c (D18C7) Rabbit mAb (BSA and Azide Free)	WB, IHC-P	H, M, R, Mk, (B, Pg)
51705T N-Myc (D4B2Y) Rabbit mAb	WB, IP, IHC-P, ChIP, ChIP-seq	H, M, (R)
Autophagy		
88588T SQSTM1/p62 (D5L7G) Mouse mAb	WB, IP, IHC-P, IF-IC	H
Cell Cycle / Checkpoint Control		
41769SF CDK6 (E3E3Q) Rabbit mAb (BSA and Azide Free)	WB, IHC-P	H, M, R
18676SF Cyclin A2 (E9Q5G) Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-F, IF-IC	M, R
48818T p53 (DO-7) Mouse mAb	WB, IHC-P, IF-IC, FC-FP, ChIP	H
15755SF p53 (1C12) Mouse mAb (BSA and Azide Free)	WB, IF-IC, FC-FP	H, M, R, Hm, Mk, (Rab)
34858T SLFN11 (D8W1B) Rabbit mAb	WB, IP, IHC-LB, IHC-P, FC-FP	H
Chromatin Regulation / Nuclear Function		
83511SF BRD9 (E4Q3F) Rabbit mAb (BSA and Azide Free)	IF-IC, FC-FP	H
57794S EBF1 (E2I3Q) Rabbit mAb	WB, IP, IF-IC, FC-FP	H, (M, R)
46249T Exportin-1/CRM1 (D6V7N) Rabbit mAb	WB, IP, IHC-P, IF-IC	H, M, Mk
70303S Phospho-Ezh2 (Thr311) (F1K1B) Rabbit mAb	WB	H, M, R, Mk
95197S MTA2 (F2D5U) Rabbit mAb	WB, IP, ChIP	H, M, R, Mk
14574T Nucleolin (D4C7O) Rabbit mAb	WB, IP, IHC-P, IF-IC, FC-FP, eCLIP	H, M, R, Mk
76469S PADI4 (F1B9L) Rabbit mAb	WB, IP, IF-IC, FC-FP	H
56308S PADI4 (F1G7E) Rabbit mAb	WB, ChIP	H
Cytoskeletal Signaling		
54043S Annexin V (E3W8V) Rabbit mAb	WB, IHC-P, IF-IC, FC-FP	H, M, R, (Pg)
27376S Dab2 (F9K9T) Rabbit mAb	WB, IP	H
73348S Desmin (F5V4I) Rabbit mAb	WB, IHC-P	H, M, R
95052SF Keratin 14 (E7W6V) Rabbit mAb (BSA and Azide Free)	IHC-P, IF-F, IF-IC, FC-FP	H, M, (R)
36936S NUP153 (E3N3Y) Rabbit mAb	WB, IP, IF-F, IF-IC	M
81254T PVR/CD155 (D8A5G) Rabbit mAb	WB, IHC-LB, IHC-P	H
Developmental Biology		
76596SF Axin1 (C76H11) Rabbit mAb (BSA and Azide Free)	WB, IHC-P	H, M
48888SF GATA-6 (D61E4) XP [®] Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-IC, FC-FP	H, M, (R, Dg, Pg)
11988T HES1 (D6P2U) Rabbit mAb	WB, IP, IHC-P	H, M, R, Mk




PADI4 (F1G7E) Rabbit mAb #56308


Keratin 14 (E7W6V) Rabbit mAb (BSA and Azide Free) #95052

NUP153 (E3N3Y) Rabbit mAb #36936


PRODUCT	APPLICATIONS	REACTIVITY
Developmental Biology (cont.)		
23369S ID1 (F2M1J) Rabbit mAb	WB, IP, IHC-P	H, Mk
25344S ID1 (F2M1J) Rabbit mAb (IF/Flow Formulated)	IF-IC, FC-FP	H
15269SF Jagged1 (D4Y1R) XP® Rabbit mAb (BSA and Azide Free)	WB, IHC-P, FC-FP	H, M, Mk, (R, Hm)
12292T TEAD1 (D9X2L) Rabbit mAb	WB, WB-S, IP, IHC-P, IF-IC	H, M, Mk, (R)
Immunology and Inflammation		
34594T 4-1BB/CD137/TNFRSF9 (D224Y) Rabbit mAb	WB, IP, IHC-P, IF-IC, FC-FP, FC-L	H
58404S 4-1BBL/CD137L/TNFSF9 (F9V9P) Rabbit mAb	WB	M
15103T Aiolos (D1C1E) Rabbit mAb	WB, IP, IHC-P, FC-FP, ChIP, ChIP-seq, C&R	H, M
64666SF CD38 (E9F5A) XP® Rabbit mAb (BSA and Azide Free)	WB, IP, IHC-P, IF-F, IF-IC	M, R
18991S CD177 (F9O5U) Rabbit mAb	WB, IHC-P	H
52181S CD205/DEC-205 (FIN2F) Rabbit mAb	WB	H, M
55226SF CTLA-4 (E2V1Z) Rabbit mAb (BSA and Azide Free)	WB, IHC-LB, IHC-P	H, M
30260S Dectin-1/ Clec7a (E3P5W) Rabbit mAb	WB, IHC-P, IF-F	M
26402S FcRL3 (E1V4L) Rabbit mAb	WB	H
30177S G4S Linker (E7O2V) F(ab') ₂ Fragment (Alexa Fluor® 488 Conjugate)	FC-L	All
34457SF GITR (E9O9H) Rabbit mAb (BSA and Azide Free)	WB, IHC-LB, IHC-P, IF-F, FC-FP, FC-L	M
86630T IDO (D5J4E™) Rabbit mAb	WB, IP, IHC-LB, IHC-P, IF-IC, FC-FP	H
89555SF IFI16 (D8B5T) Rabbit mAb (BSA and Azide Free)	WB, IHC-P	H
14859T Ikaros (D6N9Y) Rabbit mAb	WB, WB-S, IHC-P, IF-F, IF-IC, FC-FP, ChIP, ChIP-seq, C&R	H, M
79154S IKKγ (F8I8M) Rabbit mAb	WB	M, R
76983T IRF-5 (E7F9W) Rabbit mAb	WB, IP, IHC-LB, IHC-P, IF-IC, FC-FP	H
25537SF LAG3 (E3E9B) Rabbit mAb (BSA and Azide Free)	FC-L	M
27432SF LRF/Pokemon (D7U2O) Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-IC, FC-FP	H, M, R, Mk
77478SF MAGE-A10 (E9V2Q) Rabbit mAb (BSA and Azide Free)	WB, IHC-P	H
98156SF MAVS (E8Z7M) Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-F, IF-IC	M
12851T β2-microglobulin (D8P1H) Rabbit mAb	WB, IHC-P, IF-IC, FC-FP	H, Mk
28162S Neutrophil Elastase (F4H3X) Rabbit mAb	WB, IHC-P	H
28386S PTPRJ/DEP-1 (F4G8K) Rabbit mAb	WB, IP, FC-FP, FC-L	H
8826T Phospho-Staf1 (Ser727) (D3B7) Rabbit mAb	WB, IP, IHC-P, ChIP	H, M, R, Mk
88183T TNFRSF17/BCMA (E6D7B) Rabbit mAb	WB, IP, IHC-LB, IHC-P, FC-FP	H
73174S Tox/Tox2 (E6I3Q) Rabbit mAb (Alexa Fluor® 647 Conjugate)	IHC-P	H, M, R
47375S Whitlow/218 Linker (E3U7Q) F(ab') ₂ Fragment (Alexa Fluor® 647 Conjugate)	FC-L	All
84056SF ZBP1 (E6H8F) Rabbit mAb (BSA and Azide Free)	WB, FC-FP	M
MAP Kinase Signaling		
75628S Phospho-PFAS (Thr619) (F1L7L) Rabbit mAb	WB, IP	H
Metabolism		
30127SF AMPKα (23A3) Rabbit mAb (BSA and Azide Free)	WB	H, M, R, Mk
50081T Phospho-AMPKα (Thr172) (D4D6D) Rabbit mAb	WB, WB-S, IP, IHC-P	H, M, R, (C, Z, B, Pg)
76191SF C/EBPβ (E2KIU) Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-IC, FC-FP	H, Mk



CD177 (F905U) Rabbit mAb #18991




G4S Linker (E702V) F(ab)₂ Fragment
(Alexa Fluor® 488 Conjugate) #30177



Neutrophil Elastase (F4H3X) Rabbit mAb #28162

PRODUCT	APPLICATIONS	REACTIVITY
Metabolism (cont.)		
58145S CD10/Neprilysin (F4P6H) Rabbit mAb	WB, IHC-P, IF-F, IF-IC, FC-FP	M, R
11967T COX IV (4D11-B3-E8) Mouse mAb	WB, IP, IHC-P, IF-IC	H, M, R, Mk
52150S ENPP1 (E3R8O) Rabbit mAb	WB, IP, IF-IC	H
10076S FADS1 (F1D2A) Rabbit mAb	WB, IP	H, M, R
4393T FTH1 (D1D4) Rabbit mAb	WB, IP, IHC-P	H, M, R, Mk
69219T Glycolysis/TCA Cycle Molecular Checkpoint Antibody Sampler Kit	-	-
3014T Insulin (C27C9) Rabbit mAb	IHC-P, IF-F, IF-IC, FC-FP	H, M, R
92271SF Mitofusin-2 (D2D10) Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-IC	H, M, R, Hm, Mk
33118S TBXAS1 (F4C5I) Rabbit mAb	WB, IP	H
Neuroscience		
81944S Aldolase C (E714X) Rabbit mAb	WB	H, M, R
69953S ANKRD15 (E914I) Rabbit mAb	WB	H, M, R
48007S APP (E8R9O) Mouse mAb	WB, IP	H, M, R
69024SF Bassoon (D63B6) Rabbit mAb (BSA and Azide Free)	WB, IF-F	M, R, (H)
50049T CaMKII- α (6G9) Mouse mAb	WB, IHC-P, IF-F, IF-IC	H, M, R
61821SF CD13/APN (D6V1W) Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-IC, FC-FP	H, M, R
19771S CX3CR1 (E9J4I) Rabbit mAb	FC-L	H
61178S GPR52 (E9D8W) Rabbit mAb	WB, IF-F	H, M
28112SF HEXB (E9X5S) Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-F, IF-IC	M, R
76703S RGS14 (E4N2Q) Rabbit mAb	WB, IF-F	M, R
33900C PathScan® RP Neurofilament-L Sandwich ELISA Kit	ELISA	H, M, R
59939SF Tau (GT-38) Mouse mAb (BSA and Azide Free)	IHC-P	H
12885T Phospho-Tau (Thr181) (D9F4G) Rabbit mAb	WB, IP, IHC-P, IF-F	H, M, R
89956S TREM2 (E707Q) Rabbit mAb	WB, IP, FC-L	M
58844T Tyrosine Hydroxylase (E2L6M) Rabbit mAb	WB, IHC-LB, IHC-P, IF-F, IF-IC, FC-FP	H, M, R
PI3K / Akt Signaling		
20235S Phospho-Akt (Ser473) (D9E) XP® Rabbit mAb (Alexa Fluor® 700 Conjugate)	FC-FP	H, M, R, Hm, Mk, Dm, Z, B, (C, X, Dg, Pg)
12829T FoxO3a (D19A7) Rabbit mAb	WB, IP, IHC-P, IF-IC, FC-FP	H, M, R
57191SF FoxO3a (D19A7) Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-IC, FC-FP	H, M, R
Protein Folding and Trafficking		
76196SF HSF1 (D3L8I) Rabbit mAb (BSA and Azide Free)	WB, IHC-P, IF-IC, FC-FP	H, M, R, Mk, B, Dg, Pg
RTK		
4407T Phospho-EGF Receptor (Tyr1173) (53A5) Rabbit mAb	WB, IP, IHC-P	H, M, R
23328T FGF Receptor 2 (D4L2V) Rabbit mAb	WB, IP, IHC-P, IF-IC, FC-FP, FC-L	H, M
4791T Phospho-HER3/ErbB3 (Tyr1289) (21D3) Rabbit mAb	WB, IP, IHC-P	H, M, (R, Dg)
Ubiquitin and Ubiquitin-like proteins		
60312S CRBN (F417F) Rabbit mAb	WB, IP, IHC-P, IF-F, IF-IC	H, M, R

What's New at CST



CUT&Tag: Comparable Data, Faster Results

Introducing CUT&Tag—a more efficient alternative to chromatin profiling.

- Time-savings
- Sample-savings
- Cost-savings

cst-science.com/Q2-2024-info1



NEW!

Mouse Targets FOR SignalStar™ Multiplex IHC

**SignalStar™ Multiplex IHC:
Mouse Targets:**

We just added mouse targets to our flexible, ready-to-go SignalStar™ Multiplex IHC panels. Now whether you're using human or mouse models, CST has you covered for your spatial biology research.

cst-science.com/Q2-2024-info2

For Research Use Only. Not for Use in Diagnostic Procedures.

© 2024 Cell Signaling Technology, Inc. CST, Cell Signaling Technology, and XP are registered trademarks of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information. 24-PRG-59950-EN

cellsignal.com/newproducts



Cell Signaling
TECHNOLOGY®