

Ordering Information



Corning® LSE™ Mini Microcentrifuge

Cat. No.	Description	Promotional Price (€)
CC6770	Corning LSE mini microcentrifuge, 230V-EU plug	190.00



Corning LSE High Speed Microcentrifuge

Cat. No.	Description	Promotional Price (€)
CC6766HS	Corning LSE high speed microcentrifuge, 230V-EU plug	1,100.00
CC480134	Individual adapters for 0.5 and 0.4 mL tubes (1/pk, 6/cs)	38.00
CC480135	Individual adapters for 0.2 mL tubes (1/pk, 6/cs)	38.00



Corning LSE Compact Centrifuge

Cat. No.	Description	Promotional Price (€)
CC6759	Corning LSE compact centrifuge, 230V-EU plug	1,395.00
CC480136	Rotor, 6 x 50 mL fixed angle rotor (1/cs)	690.00
CC480137	Rotor, 12 x 15 mL fixed angle rotor (1/cs)	560.00
CC480138	Rotor, 6 x 5 mL swing-out rotor (1/cs)	560.00
CC480139	Rotor, 18 x 1.5 mL fixed angle rotor (1/cs)	445.00
CC480143	Combination rotor, 15 and 50 mL for Corning LSE compact centrifuge (1/cs)	735.00
CC480142	Adapters for 5, 7, and 10 mL tubes in 15 mL rotor (6/cs)	85.00



6 x 50 mL fixed angle rotor
(Cat. No. 480136)



12 x 15 mL fixed angle rotor
(Cat. No. 480137)



6 x 5 mL swing-out rotor
(Cat. No. 480138)



18 x 1.5 mL fixed angle rotor
(Cat. No. 480139)



Combination rotor
(Cat. No. 480143)

Offer valid until December 15th, 2018

Agitation Equipment

Corning® LSE™ Vortex Mixer: 190 €

- ▶ Variable speed for gentle to vigorous mixing
- ▶ Optimized counter balance for minimal vibration
- ▶ Lightweight and portable
- ▶ Touch and continuous mix mode
- ▶ Mix a variety of tubes and plates with optional accessory heads



Accessory heads for Corning LSE vortex mixer

Corning LSE 6L Digital Microplate Shaker: 750 €

- ▶ Large capacity – process up to 4 microplates
- ▶ 3 mm orbit for resuspending, homogenizing or vortexing
- ▶ Large digital display with single-knob control of speed & time
- ▶ Suitable for cold room or incubator use



Corning LSE Low Speed Orbital Shaker: 790 €

- ▶ Ideal for staining and washing of fragile gels
- ▶ Gentle motion prevents foaming of liquid
- ▶ Simple analog control with easy-turn knobs
- ▶ 19 mm orbit for blotting, gel staining, and general mixing
- ▶ Suitable for cold room or incubator use



Corning LSE Orbital Shaker: 1.160 €

- ▶ Two stainless steel platform options
- ▶ 19 mm orbit for aeration of cultures and staining gels
- ▶ Large digital display with single-knob control
- ▶ Digital control of shaking speed and time
- ▶ Suitable for cold room or incubator use



Orbital shaker with optional clamps and flasks

Corning® LSE™ Vortex Mixer and Accessory heads



Cat. No.	Description	Promotional Price (€)
CC6776	Corning LSE Vortex Mixer with Standard Tube Head, 230V-EU Plug	190.00
CC480102	Optional Head for one Microplat, 64x0.2mL Tubes, or 8x0.2 mL Tube Strips	33.00
CC480103	Optional Head for 8x15 mL and 8x12/13 mm Diameter Tubes	33.00
CC480104	Optional Head Attachment for 6x50 mL Tubes	33.00



Corning LSE Digital Microplate Shaker



Cat. No.	Description	Promotional Price (€)
CC67814	Corning LSE Digital Shaker for 4 Microplates, 230V-EU Plug	750.00

Corning LSE Low Speed Orbital Shaker



Cat. No.	Description	Promotional Price (€)
CC6781FP	Corning LSE Low Speed Orbital Shaker, With Flat Platform, 230V-EU Plug	790.00

Corning LSE Orbital Shaker



Cat. No.	Description	Promotional Price (€)
CC6781NP	Corning LSE Orbital Shaker, Without Platform, 230V-EU Plug	1160.00
CC480108	Flat Platform with Rubber Mat, for use with Orbital Shaker	105.00
CC480109	Flask Clamp Platform Wo/Clamps, for use with Orbital Shaker	165.00
CC480110	Clamp for 25 mL Erlenmeyer Flask	24.00
CC480111	Clamp for 50 mL Erlenmeyer Flask	32.00
CC480112	Clamp for 125 mL Erlenmeyer Flask	32.00
CC480113	Clamp for 250 mL Erlenmeyer Flask	34.00
CC480114	Clamp for 500 mL Erlenmeyer Flask	34.00
CC480115	Clamp for 1L Erlenmeyer Flask	34.00

Offer valid until December 15th, 2018

Shaking Incubators

CORNING



Corning LSE Benchtop Shaking Incubator



Corning LSE 49L and 71L Shaking Incubators (49L shown)

Corning LSE Benchtop Shaking Incubator		Corning LSE 49L and 71L Shaking Incubators	
Lid low pivot point makes it a truly benchtop style. Space-saving size ensures fit on the lab bench and under shelves		Its outstanding temperature uniformity and precision control shaking mechanism added to a large viewing area allows great culture conditions with undisturbed monitoring of sample.	
Multiple shelving options and additional accessories offer a huge versatility in vessel shapes and sizes that can be used in these incubators			
T° Range: Ambient +5°C to 70°C T° Increments: 0,1°C Temperature Accuracy: ± 0,5°C Temperature Uniformity: ± 0,5°C		T° Range: Ambient +5°C to 80°C T° Increments: 0,1°C Temperature Accuracy: ± 0,1°C Temperature Uniformity: ± 0,25°C	
Shaker Speed: 20 to 300 rpm		Shaker Speed: 20 to 400 rpm (49L model) Shaker Speed: 20 to 300 rpm (71L model)	
Shaker Orbit: 19 mm			
Dimensions (W x D x H) in centimeters			
37 x 53 x 40 Height Lid Open: 55		49 Liters model External: 42,5 x 55 x 58 Chamber: 34,3 x 37,5 x 38,1	71 Liters model External: 57,4 x 54,4 x 63,5 Chamber: 44,2 x 39,6,5 x 40,6

Ordering Information

Cat. No.	Description	Promotional Price (€)
CC6752	49L Shaking Incubator	3505,00
CC6754	71L Shaking Incubator	3880,00
CC6791	Benchtop Shaking Incubator	2565,00

Constant Temperature Equipment

CORNING

Corning® LSE™ Digital Dry Bath Heater

- ▶ Broad temperature from ambient +5°C to 150°C
- ▶ Temperature accurately controlled by a microprocessor
- ▶ Temperature accuracy of $\pm 0,3^{\circ}\text{C}$ and uniformity of $\pm 0,2^{\circ}\text{C}$
- ▶ Large digital display
- ▶ Corrosion-resistant block cavity
- ▶ Easy replaceable NiMH batteries



Single, double or four block
Corning digital dry bath

Corning LSE 6L Digital Water Bath

- ▶ 6L capacity provides adequate space for thawing frozen samples
- ▶ Stainless steel, seamless chamber
- ▶ Stainless steel cover helps to retain heat and control evaporation
- ▶ Accommodates test tube racks or up to three 250 mL flasks



Corning 6L digital water bath

Corning LSE Digital Hot Plates, Stirrers, Stirring Hot Plates

- ▶ All models include a Pyroceram top
- ▶ Temperature accuracy within $\pm 2^{\circ}\text{C}$
- ▶ Stirring speeds accuracy at $\pm 5\%$ of the speed setting
- ▶ Digital display to ensure accuracy
- ▶ Safety indicators
- ▶ 2 top sizes available: 12,7 x 17,8 cm or 25,4 x 25,4cm



Corning digital hot plates and
stirring hot plates



Corning® LSE™ Digital Dry Bath

Cat. No.	Description	Promotional Price (€)
CC6876SB	Corning LSE digital dry bath, single block, EU plug	310,00
CC6886DB	Corning LSE digital dry bath, double block, EU plug	367,00
CC6896FB	Corning LSE digital dry bath, four block, EU plug	542,00



Visit Corning website

<http://www.corning.com/emea/en/products/life-sciences.html>

In the search function, enter Dry Bath Accessories and select the ones to be added to your order



Corning LSE Digital Water Bath

Cat. No.	Description	Promotional Price (€)
CC6784	Corning LSE digital water bath, 6L, 230V (EU and UK Plug)	550,00



Corning LSE Digital Hot Plates, Stirrers, Stirring hot plates

Cat. No.	Description	Promotional Price (€)
CC6796400D	Corning LSE digital hot plate 12,7 x 17,8 cm	265,00
CC6796600D	Corning LSE digital hot plate 25,4 x 25,4 cm	365,00
CC6796410D	Corning LSE digital stirrer 12,7 x 17,8 cm	225,00
CC6796610D	Corning LSE digital stirrer 25,4 x 25,4 cm	365,00
CC6796420D	Corning LSE digital stirring hot plate 12,7 x 17,8 cm	415,00
CC6796620D	Corning LSE digital stirring hot plate 25,4 x 25,4 cm	540,00



Offer valid until December 15th, 2018

Offer valid in Italy only and void where prohibited by government, law, or company policy. Offer valid for end-user customers only for purchases from May 1, 2018 through July 31, 2018, or while supply lasts.

For more specific information on claims, visit the Certificates page at www.corning.com/lifesciences.

Warranty/Disclaimer: Unless otherwise specified, all products are for research use only. Not intended for use in diagnostic or therapeutic procedures. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications.

For additional product or technical information, visit www.corning.com/lifesciences, or contact our Scientific Support Team at ScientificSupportEMEA@corning.com.

Corning Incorporated
Life Sciences Europe

Corning BV
Fogostraat 12
1060 LJ Amsterdam
The Netherlands
Phone: +31 (0) 20 659 60 51
Fax: +31 (0) 20 659 76 73
CSEurope@corning.com
www.corning.com/lifesciences

CORNING

FALCON

AXYGEN

GOSSELIN

For a listing of trademarks, visit www.corning.com/clstrademarks.
All other trademarks are the property of their respective owners.

Distributed by:

Euroclone S.p.A.
Via Figino, 20/22
20016 Pero (MI)
Phone: +39 02 38.19.51
Fax: +39 02 33.91.37.13
Email: info@euroclone.it