



CELL SIGNALING TECHNOLOGY

# New Products – September 2022

## Hot New Product



### CUT&RUN Assay Kit #86652P (8 assays)


Like the chromatin immunoprecipitation (ChIP) assay, Cleavage Under Targets & Release Using Nuclease (CUT&RUN) is a powerful and versatile technique used for probing protein-DNA interactions within the natural chromatin context of the cell (1-4). This assay can be used to identify multiple proteins associated with a specific region of the genome, or the opposite, to identify the many regions of the genome associated with a particular protein. In addition, the CUT&RUN assay can be used to define the spatial and temporal relationship of a particular protein-DNA interaction.

(Ref #): See [website](#) for more details.

**Keywords:** Protein-DNA interactions, epigenetics, histone modifications

#### Related Products:

- CUT&RUN pAG-MNase and Spike-IN DNA #[40366](#)
- DNA Library Prep Kit for Illumina (ChIP-seq, CUT&RUN) #[56795](#)
- Multiplex Oligos for Illumina (Dual Index Primers) (ChIP-seq, CUT&RUN) #[47538](#)
- Multiplex Oligos for Illumina (Single Index Primers) (ChIP-seq, CUT&RUN) #[29580](#)
- SimpleChIP® Universal qPCR Master Mix #[88989](#)



Product Number	Product Name	Size	Application	Cross-Reactivity	Website Link
<b>Adhesion / ECM</b>					
96743SF	E-Cadherin (24E10) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC, FC-FP	H, M, (B, Dg, Pg)	<a href="#">Weblink</a>
33143SF	VE-Cadherin (E6N7A) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P	H	<a href="#">Weblink</a>
88239S	Cathepsin D (E7Z4L) XP® Rabbit mAb	100 µl	WB, IHC-P, IF-F, IF-IC	M	<a href="#">Weblink</a>
88239T	Cathepsin D (E7Z4L) XP® Rabbit mAb	20 µl	WB, IHC-P, IF-F, IF-IC	M	<a href="#">Weblink</a>
98908SF	COL3A1 (E8D7R) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P	H	<a href="#">Weblink</a>

#### YOUR CST ACCOUNT REPRESENTATIVE:

**Firstname Lastname** | Account Manager  
 phone: 000-000-0000 | email: first.last@cellsignal.com

For additional information on products, services, and upcoming events, please visit [www.cellsignal.com](http://www.cellsignal.com)

For Research Use Only. Not For Use In Diagnostic Procedures. 20-PEP-08355-APR22

© 2022 Cell Signaling Technology, Inc. Cell Signaling Technology, CST, and XP are trademarks of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information



# CELL SIGNALING TECHNOLOGY

Product Number	Product Name	Size	Application	Cross-Reactivity	Website Link
93908SF	Integrin $\alpha$ 1/CD49a (E9K2J) XP <sup>®</sup> Rabbit mAb (BSA and Azide Free)	100 $\mu$ g	WB, IHC-Bond, IHC-P	H	<a href="#">Weblink</a>
29462SF	Integrin $\beta$ 3 (D7X3P) XP <sup>®</sup> Rabbit mAb (BSA and Azide Free)	100 $\mu$ g	WB, IHC-P	H, M	<a href="#">Weblink</a>
15749SF	MMP-9 (D6O3H) XP <sup>®</sup> Rabbit mAb (BSA and Azide Free)	100 $\mu$ g	WB, IHC-P, FC-FP	H	<a href="#">Weblink</a>
27927S	Osteopontin/SPP1 (E4O2F) Rabbit mAb	100 $\mu$ l	WB, IP, IF-F, IF-IC	M	<a href="#">Weblink</a>
26182S	RHBDF2 (E7U2K) Rabbit mAb	100 $\mu$ l	WB	H	<a href="#">Weblink</a>
<b>Apoptosis</b>					
41162S	Bax (E4U1V) Rabbit mAb	100 $\mu$ l	WB, IP, IF-IC, FC-FP	H	<a href="#">Weblink</a>
61060SF	Bcl-xL (54H6) Rabbit mAb (BSA and Azide Free)	100 $\mu$ g	WB, IHC-P, IF-IC, FC-FP	H, M, R, Mk	<a href="#">Weblink</a>
26184SF	Bim (C34C5) Rabbit mAb (BSA and Azide Free)	100 $\mu$ g	WB, IHC-Bond, IHC-P, IF-IC, FC-FP	H, M, R, (Mk, B, Dg, Pg)	<a href="#">Weblink</a>
37349SF	Cleaved Gasdermin D (Asp275) (E7H9G) Rabbit mAb (BSA and Azide Free)	100 $\mu$ g	WB, IHC-P	H	<a href="#">Weblink</a>
65990C	PathScan <sup>®</sup> Cleaved Gasdermin D (Asp275) Chemiluminescent Sandwich ELISA Kit	1 Kit	ELISA	H	<a href="#">Weblink</a>
19453S	Gasdermin E (E2X7E) Rabbit mAb	100 $\mu$ l	WB, IF-IC	H	<a href="#">Weblink</a>
26539S	MLKL (E7V4W) Mouse mAb	100 $\mu$ l	WB, IF-IC	H, M	<a href="#">Weblink</a>
26768T	Parthanatos Antibody Sampler Kit	1 Kit	-	-	<a href="#">Weblink</a>
<b>Autophagy</b>					
97655S	FUNDC1 (E1C6G) Rabbit mAb	100 $\mu$ l	WB, IP	H	<a href="#">Weblink</a>
<b>Autophagy</b>					
97655S	FUNDC1 (E1C6G) Rabbit mAb	100 $\mu$ l	WB, IP	H	<a href="#">Weblink</a>
<b>Ca, cAMP and Lipid Signaling</b>					
64678S	Calreticulin (D3E6) XP <sup>®</sup> Rabbit mAb (Pacific Blue <sup>™</sup> Conjugate)	100 $\mu$ l	FC-FP	H, M, R	<a href="#">Weblink</a>
<b>Cell Cycle / Checkpoint Control</b>					
59068S	Phospho-Chk2 (Thr68) (E8Q1A) Rabbit mAb (PE Conjugate)	100 $\mu$ l	FC-FP	H	<a href="#">Weblink</a>
19399SF	p21 Waf1/Cip1 (12D1) Rabbit mAb (BSA and Azide Free)	100 $\mu$ g	WB, IHC-P, IF-IC, FC-FP	H, Mk, (Dg)	<a href="#">Weblink</a>
61915S	Rad50 (E4J5R) Rabbit mAb	100 $\mu$ l	IHC-Bond, IHC-P	H	<a href="#">Weblink</a>
99158S	Phospho-Rb (Thr356) Antibody	100 $\mu$ l	WB	H	<a href="#">Weblink</a>
24571SF	SLFN11 (D8W1B) Rabbit mAb (BSA and Azide Free)	100 $\mu$ g	WB, IHC-Bond, IHC-P, FC-FP	H	<a href="#">Weblink</a>
<b>Chromatin Regulation / Nuclear Function</b>					
54615S	BRD4 (E8V7I) Rabbit mAb	100 $\mu$ l	WB, IP	H, M, R, Mk	<a href="#">Weblink</a>
89650S	CDK2AP1 (E9D7P) Rabbit mAb	100 $\mu$ l	WB, IP, ChIP	H, Mk	<a href="#">Weblink</a>
86652P	CUT&RUN Assay Kit	1 Kit	C&R	-	<a href="#">Weblink</a>
20847C	FastScan <sup>™</sup> Acetyl-Histone H3 (Lys9) ELISA Kit	1 Kit	ELISA	H, M, R, Mk	<a href="#">Weblink</a>

For additional information on products, services, and upcoming events, please visit [www.cellsignaling.com](http://www.cellsignaling.com)

For Research Use Only. Not For Use In Diagnostic Procedures. 20-PEP-08355-APR22

© 2022 Cell Signaling Technology, Inc. Cell Signaling Technology, CST, and XP are trademarks of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information



# CELL SIGNALING TECHNOLOGY

23349S	Acetyl-Histone H3 (Lys27) (D5E4) XP® Rabbit mAb (Pacific Blue™ Conjugate)	100 µl	FC-FP	H, M, R, Mk, (Hm, X, Z, Hr, GP, Rab)	<a href="#">Weblink</a>
64162SF	NUT (C52B1) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F	H, R, (Mk)	<a href="#">Weblink</a>
38239S	PhosphoPlus® PBRM1/BAF180 (Ser948) Antibody Duet	1 Kit	-	-	<a href="#">Weblink</a>
<b>Cytoskeletal Signaling</b>					
52252SF	LAMP1 (D2D11) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC, FC-FP	H, Mk	<a href="#">Weblink</a>
99293S	Myoferlin (E9Z4X) Rabbit mAb	100 µl	WB, IF-IC	H	<a href="#">Weblink</a>
25249S	PPM1G (E7J2F) Rabbit mAb	100 µl	WB	H, M, R	<a href="#">Weblink</a>
28999S	ROCK1 (E2G4N) Rabbit mAb	100 µl	WB, IHC-P, IF-IC	H, M, R	<a href="#">Weblink</a>
51658S	β2A-Tubulin Antibody	100 µl	WB	H, M, R	<a href="#">Weblink</a>
<b>Developmental Biology</b>					
41334S	Non-phospho (Active) β-Catenin (Ser33/37/Thr41) (D13A1) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	FC-FP	H, M, R, Mk, (C, X, Z, B, Dg, Pg, Hr, GP)	<a href="#">Weblink</a>
60180S	Non-phospho (Active) β-Catenin (Ser33/37/Thr41) (D13A1) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	FC-FP	H, M, R, Mk, (C, X, Z, B, Dg, Pg, Hr, GP)	<a href="#">Weblink</a>
73930S	CTHRC1 (E8M9S) Rabbit mAb	100 µl	WB, IHC-P	H, M	<a href="#">Weblink</a>
10630SF	GATA-3 (D13C9) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC, FC-FP	H, M, (Mk)	<a href="#">Weblink</a>
31815S	NDRG1 (E2T5I) Rabbit mAb	100 µl	WB, IF-F, IF-IC	M, R	<a href="#">Weblink</a>
20217S	OCA-T1 Antibody	100 µl	WB	H	<a href="#">Weblink</a>
65895S	PAX5 (D7H5X) XP® Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	IF-IC, FC-FP	H, M	<a href="#">Weblink</a>
10652SF	Sox2 (D1C7J) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P	H, M, (R)	<a href="#">Weblink</a>
58801S	TRIB1 (E7N2N) Mouse mAb	100 µl	WB	H	<a href="#">Weblink</a>
83243SF	ZEB1 (E2G6Y) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P, IF-IC, FC-FP	H, M, R	<a href="#">Weblink</a>
<b>Immunology and Inflammation</b>					
71948SF	4-1BB/CD137/TNFRSF9 (E2J5H) XP® Rabbit mAb (Mouse Specific) (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P, IF-F, IF-IC, FC-FP	M	<a href="#">Weblink</a>
65566S	B7-H6 (E9B2L) Rabbit mAb	100 µl	WB	H	<a href="#">Weblink</a>
20617S	B7-H6 (E9Q7L) Rabbit mAb	100 µl	IP, FC-FP, FC-L	H	<a href="#">Weblink</a>
20030SF	CD2 (D6V9F) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P	H, Mk	<a href="#">Weblink</a>
45839SF	CD20 (E3N7O) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P, IF-F	M, R	<a href="#">Weblink</a>
62971S	CD20 (E3N7O) XP® Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	IF-F	M, R	<a href="#">Weblink</a>
35811S	CD20 (E3N7O) XP® Rabbit mAb (Alexa Fluor® 555 Conjugate)	100 µl	IF-F	M, R	<a href="#">Weblink</a>
69874S	CD20 (E3N7O) XP® Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	IF-F	M, R	<a href="#">Weblink</a>
57720S	CD22 (E3N6T) Rabbit mAb	100 µl	WB	M	<a href="#">Weblink</a>

For additional information on products, services, and upcoming events, please visit [www.cellsignal.com](http://www.cellsignal.com)

For Research Use Only. Not For Use In Diagnostic Procedures. 20-PEP-08355-APR22

© 2022 Cell Signaling Technology, Inc. Cell Signaling Technology, CST, and XP are trademarks of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information



# CELL SIGNALING TECHNOLOGY

Product Number	Product Name	Size	Application	Cross-Reactivity	Website Link
50825S	CD22 (E811F) Rabbit mAb	100 µl	WB	M, R	<a href="#">Weblink</a>
67996S	CD27 (E5E7H) Rabbit mAb	100 µl	WB, FC-L	M	<a href="#">Weblink</a>
94428S	CD27 (E7X8W) Rabbit mAb	100 µl	WB, IP	M, R	<a href="#">Weblink</a>
68336S	CD38 (E9F5A) XP® Rabbit mAb	100 µl	WB, IP, IHC-P	M, R	<a href="#">Weblink</a>
68336T	CD38 (E9F5A) XP® Rabbit mAb	20 µl	WB, IP, IHC-P	M, R	<a href="#">Weblink</a>
25393S	CD59 (E7F7G) Rabbit mAb	100 µl	WB, FC-L	H	<a href="#">Weblink</a>
86158S	CD59 (E8A4S) Rabbit mAb	100 µl	WB	H	<a href="#">Weblink</a>
35969SF	CD70 (E3Q1A) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P	H	<a href="#">Weblink</a>
66102S	CD96 (E1Y2Z) Rabbit mAb	100 µl	WB, IF-F, IF-IC, FC-L	M	<a href="#">Weblink</a>
90927SF	CXCR4 (D4Z7W) Rabbit mAb (IHC Specific) (BSA and Azide Free)	100 µg	IHC-P	H	<a href="#">Weblink</a>
99825SF	CXCR5 (D6L3C) Rabbit mAb (IHC Specific) (BSA and Azide Free)	100 µg	IHC-P	H	<a href="#">Weblink</a>
71645S	G4S Linker (E7O2V) Rabbit mAb	100 µl	FC-L	All	<a href="#">Weblink</a>
86793SF	cGAS (E5V3W) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC, FC-FP	H	<a href="#">Weblink</a>
64458S	GNLY (E2T3D) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	IF-IC, FC-FP	H	<a href="#">Weblink</a>
96232S	Goat Anti-Human IgM, F(ab') <sub>2</sub> Antibody (Low Endotoxin, Azide-free)	500 µg	FUNC	H	<a href="#">Weblink</a>
23455S	Granzyme H (E3H7W) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	FC-FP	H	<a href="#">Weblink</a>
10097S	Granzyme H (E3H7W) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	FC-FP	H	<a href="#">Weblink</a>
47676S	IFIT3 (E8G5Y) Rabbit mAb	100 µl	WB	H	<a href="#">Weblink</a>
50033SF	IL-2Rα/CD25 (E4B2Z) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P	M	<a href="#">Weblink</a>
68588SF	IL-13RA2/CD213a2 (E7U7B) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, FC-L	H	<a href="#">Weblink</a>
67775S	IL-18 (E3G8R) Rabbit mAb	100 µl	WB, IHC-P, FC-FP	H	<a href="#">Weblink</a>
37815S	Integrin α11 (E6O6G) Rabbit mAb	100 µl	WB, IP	H	<a href="#">Weblink</a>
49300SF	IRF-1 (D5E4) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P, IF-IC, FC-FP	H, M, R	<a href="#">Weblink</a>
76647S	IRF-2 (E4F5B) Rabbit mAb	100 µl	WB, IP, ChIP	H, R	<a href="#">Weblink</a>
59452S	IRF-2 (E9S1E) Rabbit mAb	100 µl	WB, IP, ChIP	H	<a href="#">Weblink</a>
37872S	Ly-6C (E7L3S) Rabbit mAb	100 µl	WB	M	<a href="#">Weblink</a>
31135SF	MAGE-A4 (E7O1U) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC, FC-FP	H	<a href="#">Weblink</a>
36325SF	NFAT1 (D43B1) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC, FC-FP	H, M	<a href="#">Weblink</a>
70934T	Mouse Reactive PANoptosis Antibody Sampler Kit	1 Kit	-	M	<a href="#">Weblink</a>
70802SF	S100A8 (E4F8V) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P	M	<a href="#">Weblink</a>

For additional information on products, services, and upcoming events, please visit [www.cellsignal.com](http://www.cellsignal.com)

For Research Use Only. Not For Use In Diagnostic Procedures. 20-PEP-08355-APR22

© 2022 Cell Signaling Technology, Inc. Cell Signaling Technology, CST, and XP are trademarks of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information





# CELL SIGNALING TECHNOLOGY

Product Number	Product Name	Size	Application	Cross-Reactivity	Website Link
53541S	SERPINB9 (E9X9Z) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	FC-FP	H	<a href="#">Weblink</a>
37232S	SERPINB9 (E9X9Z) Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	FC-FP	H	<a href="#">Weblink</a>
15642S	Phospho-SLP-76 (Ser376) (E3G9U) XP® Rabbit mAb (Pacific Blue™ Conjugate)	100 µl	FC-FP	H, M	<a href="#">Weblink</a>
74309SF	Phospho-Stat3 (Tyr705) (M9C6) Mouse mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC, FC-FP	H, M, R, Mk	<a href="#">Weblink</a>
25657S	TAP2 (E8G5I) Rabbit mAb	100 µl	WB, IP	H	<a href="#">Weblink</a>
53753SF	T-bet/TBX21 (E4I2K) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F	H, M	<a href="#">Weblink</a>
80243S	TBK1/NAK (E8I3G) Rabbit mAb (Alexa Fluor® 488 Conjugate)	100 µl	FC-FP	H, M, R	<a href="#">Weblink</a>
89612S	TBK1/NAK (E8I3G) Rabbit mAb (Alexa Fluor® 555 Conjugate)	100 µl	IF-IC, FC-FP	H, M, R	<a href="#">Weblink</a>
84031SF	TNFRSF17/BCMA (E6D7B) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P, FC-FP	H	<a href="#">Weblink</a>
18445SF	TNFRSF8/CD30 (E7E4D) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P, IF-IC, FC-L	H	<a href="#">Weblink</a>
57710S	Whitlow/218 Linker (E3U7Q) Rabbit mAb	100 µl	FC-L	All	<a href="#">Weblink</a>
62405S	Whitlow/218 Linker (E3U7Q) Rabbit mAb (PE Conjugate)	100 µl	FC-L	All	<a href="#">Weblink</a>
<b>Infectious Diseases</b>					
32525S	FIS1 (E3K9O) Rabbit mAb	100 µl	WB, IP, IF-IC	H, M, R	<a href="#">Weblink</a>
<b>MAP Kinase Signaling</b>					
75262SF	Phospho-MEK1/2 (Ser221) (166F8) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, FC-FP	H, M, R, Mk, (Dg)	<a href="#">Weblink</a>
34161S	SLMAP Antibody	100 µl	WB, IP	H, M, R, Mk	<a href="#">Weblink</a>
<b>Metabolism</b>					
42642T	Electron Transport Chain (Complex I, III, IV) Antibody Sampler Kit	1 Kit	-	-	<a href="#">Weblink</a>
67935T	Electron Transport Chain (Complex II, III, IV) Antibody Sampler Kit	1 Kit	-	-	<a href="#">Weblink</a>
78771S	FATP2/SLC27A2 (E8F8O) Rabbit mAb	100 µl	WB, IP	H, M	<a href="#">Weblink</a>
43723SF	LDHA (C4B5) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC	H, Mk	<a href="#">Weblink</a>
80302S	Mfsd2a (E8U2O) Rabbit mAb	100 µl	IF-F	M	<a href="#">Weblink</a>
<b>Neuroscience</b>					
20769SF	ApoE (E7X2A) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IP, IHC-P, IF-F, IF-IC	M	<a href="#">Weblink</a>
46343SF	Calbindin (D114Q) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F	H, M, R	<a href="#">Weblink</a>
90394S	CaMKII-γ (E4C3O) Rabbit mAb	100 µl	WB, IP, IF-F, IF-IC	H, M, R	<a href="#">Weblink</a>
48647SF	FUS/TLS (E3O8I) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IF-F, IF-IC	H, M, R	<a href="#">Weblink</a>
74761S	GRK2 Antibody	100 µl	WB, IP	H, M, R	<a href="#">Weblink</a>
90830S	HIP1 (E9J9B) Rabbit mAb	100 µl	WB	H, M, R	<a href="#">Weblink</a>

For additional information on products, services, and upcoming events, please visit [www.cellsignal.com](http://www.cellsignal.com)

For Research Use Only. Not For Use In Diagnostic Procedures. 20-PEP-08355-APR22

© 2022 Cell Signaling Technology, Inc. Cell Signaling Technology, CST, and XP are trademarks of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information



# CELL SIGNALING TECHNOLOGY

Product Number	Product Name	Size	Application	Cross-Reactivity	Website Link
79394SF	Iba1/AIF-1 (E4O4W) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F, IF-IC, FC-FP	H, M, R	<a href="#">Weblink</a>
65911SF	MAP2 (D5G1) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IF-F	M, R, (H)	<a href="#">Weblink</a>
30564S	Neurofilament-H (E7Z7G) Rabbit mAb	100 µl	WB, IHC-Bond, IHC-P, IF-F, IF-IC	H, M, R	<a href="#">Weblink</a>
92028SF	Neurofilament-H (RmD0 20) Mouse mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F	H, M, R	<a href="#">Weblink</a>
77218SF	Neurofilament-L (DA2) Mouse mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F	H, M, R	<a href="#">Weblink</a>
25162SF	NG2/CSPG4 (E3B3G) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC	H	<a href="#">Weblink</a>
71735SF	Olig2 (E6G6Q) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F	H, M, R	<a href="#">Weblink</a>
65778SF	SOD1 (E4G1H) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P	H, M, R	<a href="#">Weblink</a>
53059SF	Synapsin-1 (D12G5) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F	H, M, R	<a href="#">Weblink</a>
25056SF	Synaptophysin (D8F6H) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F	H, M, R	<a href="#">Weblink</a>
45083SF	α-Synuclein (E4U2F) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F, IF-IC	H, M, R	<a href="#">Weblink</a>
87281SF	Phospho-α-Synuclein (Ser129) (D1R1R) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IF-F	H, M, R	<a href="#">Weblink</a>
29384SF	Tau (D1M9X) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F, IF-IC	H, M, R	<a href="#">Weblink</a>
20739SF	Phospho-Tau (Thr205) (E7D3E) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F	H, M, R	<a href="#">Weblink</a>
87749C	PathScan® Phospho-Tau (Thr217) Chemiluminescent Sandwich ELISA Kit	1 Kit	ELISA	H, M, R	<a href="#">Weblink</a>
49562SF	Phospho-Tau (Ser404) (D2Z4G) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P	H, M, R	<a href="#">Weblink</a>
32654SF	TDP43 (D9R3L) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F, IF-IC	H, M, R	<a href="#">Weblink</a>
83308SF	TMEM119 (E3E4T) Mouse mAb (BSA and Azide Free)	100 µg	IHC-P	H	<a href="#">Weblink</a>
81242SF	Tyrosine Hydroxylase (E2L6M) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P, IF-F, IF-IC, FC-FP	H, M, R	<a href="#">Weblink</a>
16066S	VGLUT2 (E2V4W) Rabbit mAb	100 µl	WB, IHC-P	H, M, R	<a href="#">Weblink</a>
<b>PI3K / Akt Signaling</b>					
98632SF	PTEN (138G6) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P	H, M, R, Mk	<a href="#">Weblink</a>
<b>Protein Folding and Trafficking</b>					
39517S	ATP6V1A (E5N9E) Rabbit mAb	100 µl	WB	H, M, R	<a href="#">Weblink</a>
97298S	CCDC22 (E3F5L) Rabbit mAb	100 µl	WB	H, M, R, (Pg)	<a href="#">Weblink</a>
63675S	GCN2 (E7I8W) Rabbit mAb	100 µl	WB, IP	H, M, R	<a href="#">Weblink</a>
63022S	Syntaxin 17 (E6R7P) Rabbit mAb	100 µl	WB, IP	H	<a href="#">Weblink</a>

For additional information on products, services, and upcoming events, please visit [www.cellsignal.com](http://www.cellsignal.com)

For Research Use Only. Not For Use In Diagnostic Procedures. 20-PEP-08355-APR22

© 2022 Cell Signaling Technology, Inc. Cell Signaling Technology, CST, and XP are trademarks of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information



# CELL SIGNALING TECHNOLOGY

Product Number	Product Name	Size	Application	Cross-Reactivity	Website Link
<b>RTK</b>					<a href="#">Weblink</a>
67295SF	c-Kit (D3W6Y) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P	H	<a href="#">Weblink</a>
26038SF	EGF Receptor (D38B1) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P, IF-IC, FC-FP	H, M, Mk	<a href="#">Weblink</a>
48576SF	Phospho-EGF Receptor (Tyr1068) (D7A5) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC, FC-FP	H, M, R, Mk	<a href="#">Weblink</a>
85254SF	HER2/ErbB2 (D8F12) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P	H, M, (R)	<a href="#">Weblink</a>
83733SF	Met (D1C2) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-Bond, IHC-P, IF-IC, FC-FP	H	<a href="#">Weblink</a>
32641SF	PDGF Receptor α (D1E1E) XP® Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC, FC-FP	H, M	<a href="#">Weblink</a>
45176SF	PDGF Receptor β (28E1) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-IC	H, M, R	<a href="#">Weblink</a>
96141SF	VEGF Receptor 2 (D5B1) Rabbit mAb (BSA and Azide Free)	100 µg	WB, IHC-P, IF-F, IF-IC, FC-FP	H, M, R	<a href="#">Weblink</a>
<b>Translational Control</b>					
70998S	DHX9 Antibody	100 µl	WB	H, M, R, Mk	<a href="#">Weblink</a>
46905S	SRSF10 (E9A6K) Rabbit mAb	100 µl	WB, IF-IC	H, M, R, Mk	<a href="#">Weblink</a>
15627S	TUT4 (E9D9T) Rabbit mAb	100 µl	WB, IP	H	<a href="#">Weblink</a>
<b>Companion Products</b>					
23911S	A23187 (Calcimycin)	5 mg	-	-	<a href="#">Weblink</a>
57583S	AdipoRon	5 mg	-	-	<a href="#">Weblink</a>
36804S	AK-7	5 mg	-	-	<a href="#">Weblink</a>
79508S	AM-580	5 mg	-	-	<a href="#">Weblink</a>
33357S	Antimycin A	10 mg	-	-	<a href="#">Weblink</a>
65716S	AS-8351	5 mg	-	-	<a href="#">Weblink</a>
37969S	Bisindolylmaleimide I (GF-109203X)	1 mg	-	-	<a href="#">Weblink</a>
89022S	BMS-303141	5 mg	-	-	<a href="#">Weblink</a>
99734S	BRD-7389	5 mg	-	-	<a href="#">Weblink</a>
70311S	Cantharidin	25 mg	-	-	<a href="#">Weblink</a>
95271S	Cas9 (S. pyogenes) (E7M1H) XP® Rabbit mAb (Alexa Fluor® 647 Conjugate)	100 µl	FC-FP	All	<a href="#">Weblink</a>
24471S	CBR-5884	5 mg	-	-	<a href="#">Weblink</a>
79929S	Chromomycin A3	1 mg	-	-	<a href="#">Weblink</a>
29442S	Concanamycin A	20 µg	-	-	<a href="#">Weblink</a>
94946S	Cytochalasin D	1 mg	-	-	<a href="#">Weblink</a>
69294S	DL-α-Difluoromethylornithine Hydrochloride (DFMO)	10 mg	-	-	<a href="#">Weblink</a>
46240S	Dynasore	5 mg	-	-	<a href="#">Weblink</a>
63691S	Exo2	5 mg	-	-	<a href="#">Weblink</a>
48132S	FLI-06	5 mg	-	-	<a href="#">Weblink</a>

For additional information on products, services, and upcoming events, please visit [www.cellsignal.com](http://www.cellsignal.com)

For Research Use Only. Not For Use In Diagnostic Procedures. 20-PEP-08355-APR22

© 2022 Cell Signaling Technology, Inc. Cell Signaling Technology, CST, and XP are trademarks of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information



# CELL SIGNALING TECHNOLOGY

Product Number	Product Name	Size	Application	Cross-Reactivity	Website Link
10451S	Importazole	5 mg	-	-	<a href="#">Weblink</a>
17949S	MHY1485	5 mg	-	-	<a href="#">Weblink</a>
55199S	Mitochondrial Fusion Promoter M1	25 mg	-	-	<a href="#">Weblink</a>
45774S	ML-241	5 mg	-	-	<a href="#">Weblink</a>
77681S	ML-323	5 mg	-	-	<a href="#">Weblink</a>
53455S	NSC-95397	5 mg	-	-	<a href="#">Weblink</a>
10473S	NSC-697923	5 mg	-	-	<a href="#">Weblink</a>
76040S	Nonactin	5 mg	-	-	<a href="#">Weblink</a>
81379S	PBIT	5 mg	-	-	<a href="#">Weblink</a>
26065S	PR-619	5 mg	-	-	<a href="#">Weblink</a>
92443S	PRT-4165	5 mg	-	-	<a href="#">Weblink</a>
38255S	Retinoic Acid (Tretinoin)	50 mg	-	-	<a href="#">Weblink</a>
78946S	Rosiglitazone Maleate	10 mg	-	-	<a href="#">Weblink</a>
31699S	Salermide	5 mg	-	-	<a href="#">Weblink</a>
20090S	SB-525334	5 mg	-	-	<a href="#">Weblink</a>
62630S	SRPIN340	5 mg	-	-	<a href="#">Weblink</a>
92208S	STF-083010	5 mg	-	-	<a href="#">Weblink</a>
47750S	TOFA	5 mg	-	-	<a href="#">Weblink</a>
75845S	trans-ISRIB	5 mg	-	-	<a href="#">Weblink</a>
47412S	UNC-2170 Hydrochloride	5 mg	-	-	<a href="#">Weblink</a>

For additional information on products, services, and upcoming events, please visit [www.cellsignal.com](http://www.cellsignal.com)

For Research Use Only. Not For Use In Diagnostic Procedures. 20-PEP-08355-APR22

© 2022 Cell Signaling Technology, Inc. Cell Signaling Technology, CST, and XP are trademarks of Cell Signaling Technology, Inc. All other trademarks are the property of their respective owners. Visit [cellsignal.com/trademarks](http://cellsignal.com/trademarks) for more information

